GISTS TM

HOW TO SPECIFY CHRISTY'S RECLAIMED WATER SIGNAGE



SPECIALTY APPLICATION MARKING DECALS

Christy's™ specialty decals are designed to identify all above ground identification requirements. They are ideal for control panels, controllers, enclosures and above ground piping. They can be color-coded for your specific requirements. Special legends, logos and layouts are available. The decals are manufactured from a 3.5 mil flexible vinvl base with a permanent acrylic adhesive backing on a 90# stayflat liner. Both the background and legend are printed with a UV cured vinyl ink. The entire decal is clear flood over-printed for superior weathering and UV protection.

RECYCLED/RECLAIMED WATER MARKING DECALS

The following are samples of our standard stock product. Customized products can be manufactured in almost any size or color. All decals are backed with a permanent acrylic adhesive.

General Reclaimed Decals: Ideal for all applications utilizing Recycled/Reclaimed water systems.



ID.4200 Color - PMS 522C



ID.DECL.REC1218 (12" x 18")

Controller Marking Decals:

Ideal for marking controllers or enclosures controlling Recycled/Reclaimed water systems.

POTABLE WATER MARKING DECALS

Christy's™ Potable Water decal is designed to identify any application utilizing potable or drinking quality water. It has a permanent, acrylic-adhesive backing for easy attachment to controller units, panels or piping.



5.75" -

ID.4300

-4.375" -ID.4100 Color - PMS 522C

Description	Part No.
Controller Marking Decal	ID.4100
General Reclaimed Decal	ID.4200
Potable Water Decal	ID.4300
English/Spanish 12" x 18" Recycled Decal	ID.DECL.REC1218

SIGNAGE & DECALS

SPECIALTY SIGNAGE

All standard signs are aluminum with a purple background, white lettering and artwork, and rounded corners as standard. They are offered with .1875" holes at an additional charge.

Christy's[™] offers all versions below as standard Recycled/Reclaimed water identification signs for ball fields, parks, golf courses or general areas utilizing Recycled/Reclaimed water to irrigate. In addition, we offer complete signage capabilities for all of your custom signage requirements.



AS PART OF THE CITY'S CONSERVATION
EFFORTS, THIS PROPERTY USES RECYCLED
WATER FOR NON-POTABLE PURPOSES

COMO PARTE DE LOS ESFUERZOS DE LA
CIUDAD PARA CONSERVAR AGUA, ESTA
PROPIEDAD USA AGUA RECICLADA PARA
PROCESOS INDUSTRIALES Y PARA REGAR



ID.SGN9X12WRW (9" x 12")



ID.SIGN.35 (12" X 18")







ID.SIGN.4 (4" X 8")

ID.SIGN.45 (9" X 12")

ID.SIGN.4X8 (4" X 8")







ID.SIGN.6 (9.75" X 13.25")

ID.SIGN.1818 (18" X 18")

ID.SIGN.REC1218 (12" X18")

Description	Part No.
English/Spanish 18" x 24" metal reclaimed sign	ID.SIGN.3
English/Spanish 12" x 18" metal reclaimed sign	ID.SIGN.35
English 18" x 24" metal reclaimed sign	ID.SIGN.4
English 9" x 12" metal reclaimed sign same look as ID-SIGN-4	ID.SIGN.45
English 4" x 8" metal reclaimed sign	ID.SIGN.4X8
English/Spanish 9.75" x 13.25" metal reclaimed sign	ID.SIGN.6
English/Spanish 12" x 18" aluminum recycled sign	ID.SIGN.REC1218
California approved English/Spanish 18" x 18" metal recycled sign	ID.SIGN.1818
English 9" x 12" metal recycled sign	ID.SGN9X12WRW

CUSTOM SIGNAGE OPTIONS

Materials: Our signage is available in .032 aluminum with 1.5" radius corners. We additionally offer reflective sign materials.

Colors: We offer virtually any color or color combination for backgrounds, lettering, logos or designs. The solvent based enamel ink dries to a glossy finish.

Size: Signage can be made in any size to meet your specific requirements.

Verbiage/Artwork/Logo: Almost any artwork or style of type can be reproduced with a clean sample. Please include both your verbiage and any layout requirements or use the layout template below for your specific requirements.

SPECIFICATIONS

Are	a sig	ınag	e wi	II be	pro	vide	d/in	stall	ed a	ICCOI	rding	j to	desi	gn.													
The	sigr	nage	e ma	teria	al sh	all b	e				·																
The sign coloring shall be backg								grou	ground color and							lettering color.											
The	lette	ering	g siz	e sh	all b	e th	e m	axim	num	allo	wab	le by	/ the	ma	nufa	ctur	er.										
The sign shall be wide and										_ tal	l. (4'	' x 8	" is ı	mini	mun	າ).											
The sign shall be Christy's™ model number:									or be worded according to the layout below.																		
The	sigr	n sh	all b	e ma	anuf	actu	ıred	by C	Chris	sty's⊺	™, A	nah	eim,	CA	-												
																Ü				7	4 4			, , , , , , , , , , , , , , , , , , ,			
	9 3									1 0																	0
	6 6	3						Q :		. 3						į,	3 4										. 4
7									ii s							1								S			
X.				88								76 10								0 1 0							12.
A) K)						1 9								1 3		7.0 1% 1))	· ·					10
	100																										